



Yukon Trail Inc.

Owner's Manual, Safety Guide, and Warranty Information

Electric Vehicles

Yukon Trail Hunter 4x4 EV

Yukon Trail Inc. reserves the right to make design changes without obligation, to make these changes on units previously sold and the information contained in this manual is subject to change without notice. Yukon Trail Inc. is not liable for errors in this manual or for incidental and consequential damages that result from the use of the material in this manual.

DO NOT RETURN STORE. For questions regarding assembly and use, call Customer Service: 877-441-6999.



Notes

Thank you for purchasing a Yukon Trail electric vehicle. This manual is designed to provide you with a basic understanding of the features and operation of this vehicle.

Included in this manual:

Important Safety Information

Basic maintenance and inspection procedures.

Information about special techniques and skills needed to ride your Yukon Trail electric vehicle.

Warranty Information

For your safety:

Read this manual carefully and completely before operating your vehicle. Make sure you understand all instructions.

Take special notice of warning and caution labels on the vehicle.

Only operate a Yukon Trail electric vehicle with proper training or instruction.

Operators should have a valid motor vehicle license.

No one under 16 years of age should operate a Yukon Trail electric vehicle.



Table of Contents

Notes 3

Table of Contents 4

General Information 5-8 Operating Instructions Maintenance Battery Storage Charger Operating Instructions Routine Maintenance Guide

Specifications 9

Safety 10-14

Control Functions 15

Riding the Vehicle 16-29 Proper Instruction

- 16 Age Recommendation
- 17 During Operation, Alcohol and Drug Use
- 18 Pre-Operation Checks, Tires and Tire Pressure
- 19 Speed, Loading and Accessories
- 20 Seat Belts, Wheelies and Jumping
- 21 Modifications, Road Restrictions
- 22 Terrains
- 22-23 Visibility, Climbing Uphill
- 24 Crossing and Turning on Hills
- 24-25 Dismount, Riding Downhill
- 25-26 Crossing a Slope, Crossing Shallow Water
- 27 Rough Terrains
- 28 Sliding and Skidding 28-29

Warranty Information 30-31



General Information

This guide is provided to assist the owner or operator of this Yukon Trail product in the safe operation and maintenance of the vehicle.

Operating Instructions

- 1) Make sure only responsible drivers operate this vehicle. Operators should have a valid motor vehicle license. No one under 16 years of age should be allowed to operate the vehicle.
- 2) Vehicle must be properly maintained in order to insure safe operating condition.
- 3) The operator of the vehicle should follow all applicable driving rules, regulations, and restrictions.
- 4) Reduce speed when making sharp turns and when traveling:
 - a. In wet areas
 - b. In blind spots
 - c. Along loose terrain
 - d. On uneven roads
 - e. In traffic with other vehicles
 - f. Near pedestrian areas
- 5) When parking vehicle:
 - a. Apply Park Brake
 - b. Move Forward/Reverse switch to "Neutral" position
 - c. Turn key to "Off" position

Maintenance

If the owner of this Yukon Trail electric vehicle is not skilled, experienced, or capable of performing maintenance to the vehicle, he or she is encouraged to seek assistance to prevent injury to him/ herself or damage to the vehicle. In order to keep your Yukon Trail electric vehicle in the safest, most reliable condition, periodic maintenance should begin at purchase:

- 1) Yukon Trail Inc. recommends that a qualified maintenance/ repair dealer perform all maintenance and repairs.
- 2) Vehicle must be disabled before performing maintenance:
 - a. Apply Park Brake
 - b. Move Forward/Reverse switch to "Neutral" position
 - c. Turn key to "Off" position
- 3) Replace all safety and warning labels on the vehicle that become damaged or missing.
- 4) After maintenance or repairs have been made a road test will need to be performed.
- 5) Use wheel chocks and jack stands when lifting the vehicle. 6) Use proper tools when performing maintenance or repairs to the vehicle.
- 7) Replacement parts are available from your local Yukon Trail dealer. For best performance and safety only use OEM replacement parts.
- 8) Yukon Trail Inc. recommends that you keep records of all maintenance and repairs.

DO NOT RETURN STORE. For questions regarding assembly and use, call Customer Service: 877-441-6999.



General Information

Battery Storage

Your Yukon Trail Electric Vehicle is equipped with lead acid batteries. All batteries will self-discharge over time. The rate of self-discharge varies depending on the ambient temperature and the age and condition of the batteries.

A fully charged battery will not freeze in winter temperatures unless the temperature falls below -75° F (-60° C). For winter storage, the batteries must be clean, fully charged and disconnected from any source of electrical drain. As with all electric vehicles, the batteries should be checked and recharged as required or at a minimum of 30-day intervals.

Charger Operating Instructions

- 1) Always use a grounded outlet. If using an extension cord, be sure and use a grounded 3-wire 12 AWG cord to avoid excessive voltage drops.
- 2) The charger will then turn on and experience a short LED indicator self-tests for approximately 2 seconds. If connected to a battery pack, a trickle current will be applied to the charger until a minimum voltage is reached. If charger is waiting to be connected to a battery pack and being used in an off-board application, the charging algorithm number will be displayed for approximately 11 seconds and then display an under-voltage fault (the fault will disappear when plugged into the battery.)
- 3) When a minimum battery voltage has been detected, charger will enter the bulk charging constant-current stage. The length of charge will vary depending on how large and how depleted the battery pack is, the ambient temperature, and the input voltage. If the ambient temperature is too high, charge power will be reduced to maintain a maximum interval temperature. If the input AC voltage is low, charge power will be reduced to avoid high input currents.
- 4) At the time the battery is at approximately 80% state of charge, the bulk stage is then completed and an >80% charge notification is given. In the next phase, known as the absorption or constant-voltage phase, the last 20% of charge will be returned to the battery. If the vehicle requires immediate usage, charging could be terminated at this point. However, it is recommended to wait for 100% charge notification to ensure maximum battery capacity and life.
- 5) A low current "finish-charge" is lastly applied to return and maintain capacity.
- 6) The battery is then completely charged. You may now unplug the charger from AC power. If kept plugged in, the charger will automatically restart another complete charge cycle if the voltage drops below a minimum voltage or 30 days has passed.
- 7) If faults occurred at anytime during the charging process, a fault notification is given by flashing RED with corresponding code. Some errors are serious and may require human intervention to fix the problem and then reset the charge by disconnecting AC power for at least 15 seconds. Others may automatically recover when the fault condition is eliminated. To indicate which error occurred, a fault notification will flash RED a number of times, stop, and then repeat. [1 FLASH] Battery Voltage High: auto-recover [2 FLASH] Battery Voltage Low: auto-recover [3 FLASH] Charge Timeout: the charge failed to complete in the allotted time. This might indicate a problem with the battery pack, or that the charger output was reduced due to high ambient temperatures. [4 FLASH] Check Battery: battery pack could not be trickled charged to the minimum level required for initial charge. May indicate one or more cells in the battery pack are damaged or shorted. [5 FLASH] Over-Temperature: auto-recover. Charger has shutdown because of high internal temperature. Typically indicates no sufficient airflow for cooling. [6 FLASH] Fault: an internal fault has been detected. After disconnecting AC power for at least 15 seconds, if Fault 6 is again displayed, the charger must be taken to a qualified service depot.

DO NOT RETURN STORE. For questions regarding assembly and use, call Customer Service: 877-441-6999.



General Information

Yukon Trail Owner's Routine Maintenance Guide

1) When do I charge my Yukon Trail Vehicle?

- a. Your Yukon Trail Vehicle is equipped with lead acid batteries. These batteries have no memory. However, it is recommended to opportunity charge these batteries even after minimal use.
- b. When the red light begins to blink on the dashboard, you have approximately 1-2 miles of usage left. Charging the vehicle will take approximately 10-12 hours depending on the state of discharge.
- c. **Note:** It is normal for your onboard charger's operating temperature to be quite warm. This charger is fin cooled, not fan cooled. The best way to charge your Yukon Trail vehicle is to open the front seat or prop in the open position to help dissipate the heat created by charging the vehicle.

2) How do I charge my Yukon Trail Vehicle?

- a. Your Yukon Trail Vehicle is equipped with an onboard charger that is multiple rated and operates on a standard single pole 15-Amp breaker in applicable mode.
- b. This charger has a pigtail plug, which you attach to the supplied AC cord and then plug into the wall outlet.

3) How will I know when my unit is completely charged?

- a. Your onboard charger unit has an LED light that indicates completion of battery charge. A green light display indicates a full charge. Your onboard charger will automatically shut off after charging is complete. (Refer to Page 6 of your Owner's Manual for more details related to your onboard charger.)

4) What is the purpose of the toggle switch on the dash?

- a. This button turns the reverse buzzer on or off.

5) What tire pressure should I keep in my tires?

- a. See manufacturer's recommended inflation pressure located on the tire sidewall.

6) What parts of my Yukon Trail vehicle are not covered under the 1-year manufacturer warranty?

- a. Tires and lighting bulbs.
- b. Any and all damages to unit due to incorrectly performed maintenance and charging procedures.
- c. Pick up and delivery of vehicle.
- d. Vehicles used for commercial purposes carry a one-year warranty.

7) How do I clean my Yukon Trail Vehicle?

- a. Turn the key to the OFF position and remove before washing the vehicle.
- b. Wash with soap and water. All parts of vehicle can be hosed off including battery terminals. Be sure to run the car after washing as the brakes may lock up if car is left to sit in place.
- c. Do not concentrate water stream in location of black box located in the center of the battery box. This is where the controller and electronics are located in your vehicle.

DO NOT RETURN STORE. For questions regarding assembly and use, call Customer Service: 877-441-6999.



General Information

9) When should I do routine maintenance on my vehicle?

- a. Disc brake pads should be visually inspected periodically and should be changed when the minimum pad thickness is reached by a certified Ruff & Tuff technician.
- b. Tire care is basic. Keep tires clean and use tire care products as needed.

10) Any other technical questions which may arise concerning operating procedures and/or maintenance procedures can be answered by contacting your local Yukon Trail dealer.

Specifications

Yukon Trail Hunter 4x4

Weight 1625 lbs. / 738 kg Load Capacity 1100 lbs. / 500 kg Height

83.5 in. / 212 cm Tires (4-ply) 23" x 10.5" x 12" Tire Pressure See tire sidewall for manufacturer's recommendation

Lights 55-watt Halogen Brakes 4 Wheel Hydraulic Disc Brakes Motor 48-volt D.C. 4 KW Electric

voltage 48-volt D.C.

Eight 6-volt deep cycle Lead Acid 2 gauge Copper wiring

Forward/Reverse Switch Solid state rocker switch Speed Controller

550-amp solid state Speed 20-22 mph Charger

Fully automatic.

Specifications are subject to change as we continue to build you a better product!



Safety

General Safety Information

This guide is provided to assist the owner or operator of this Yukon Trail electric vehicle in the maintenance and safe operation of the vehicle. The warnings in this manual are not a replacement for good common sense and safe driving practices. Your Yukon Trail electric vehicle is designed and manufactured for off-road use. It does not conform to Federal Motor Vehicle Safety Standards and is not equipped for operation on public streets unless equipped with LSV package option. (More information on the LSV package option is available through your local Yukon Trail Dealer.) Operators of the Yukon Trail electric vehicle should have a valid motor vehicle license. No one under 16 years of age should be allowed to operate a Yukon Trail electric vehicle.

Operating Safety

- 1) Always use your Yukon Trail electric vehicle in a responsible manner and maintain the vehicle in safe operating conditions.
- 2) Always read and observe all warnings and operation instruction labels affixed to the Yukon Trail electric vehicle.
- 3) Always follow all safety rules established in the area where you are operating the Yukon Trail electric vehicle.
- 4) Always use extreme caution when making sharp or blind turns.
- 5) Always apply brake to control speed on steep grades.
- 6) Always use extreme caution when traveling:
 - a. In wet areas
 - b. In blind spots
 - c. Along loose terrain
 - d. On uneven roads
 - e. In traffic with other vehicles
 - f. Near pedestrian areas.

Notes, Cautions, and Warnings

The following notations indicate important information. Failure to follow the warnings contained in this manual could result in serious injury or death.

NOTE

NOTE: Condition that should be observed. This provides key information that makes procedures easier and clearer.

CAUTION: Condition that may result in damage to the vehicle. Special precautions must be taken to avoid damage to the vehicle.

! WARNING!

WARNING: Hazardous condition that could result in severe injury or death to the vehicle operator, a bystander, or a person inspecting or repairing the vehicle.

CAUTION

DO NOT RETURN STORE. For questions regarding assembly and use, call Customer Service: 877-441-6999.



Safety

General Safety Practices

Steep Grade: !WARNING!

In areas where steep grades exist, vehicle operations should be restricted to the designated vehicle pathways where possible, and shall be identified with a suitable warning giving the following information: "Warning, steep grade, descend slowly with one foot on the brake."

Wet Areas: !WARNING!

Wet grassy areas may cause a vehicle to lose traction and may affect stability. Wet areas should be chained or roped off to prevent vehicle operations or be identified by a suitable warning not to operate vehicles in this area due to wet terrain.

Sharp Turns, Blind Corners, and Bridge Approaches: ! WARNING!

Sharp turns, blind spots, bridge approaches, and other potentially hazardous areas shall be either chained or roped off to prevent vehicle operations or identified with a suitable warning to the operator of the nature of the hazard and stating the proper precautions to be taken to avoid the hazard.

Loose Terrain: !WARNING!

Loose terrain may cause a vehicle to lose traction and may affect stability. Areas of loose terrain should be repaired if possible, or chained or roped off to prevent vehicle operation, or identified by a suitable warning to operators not to operate vehicles in this area due to loose terrain or possible hazardous conditions.

Pedestrian Areas: !WARNING!

Areas where pedestrians and vehicles interfere shall be avoided whenever possible by rerouting the vehicle traffic or the pedestrian traffic to eliminate the interference. If elimination of the interference is not possible or is highly impractical, signs shall be erected warning pedestrian traffic and to drive slowly and use extreme caution.

Ventilation: !WARNING!

During the charging process, we recommend lifting the seat bottom to allow more air flow and reduce heat buildup.



Safety

Read and understand all labels located on this vehicle. For any questions on any of the information, contact a Yukon Trail representative for clarification.

Always replace any damaged or missing labels.

On steep hills it is possible for vehicles to coast at greater than normal speeds encountered on a flat surface. To prevent loss of vehicle control and possible serious injury, speeds should be limited to no more than the maximum speed on level ground. Limit speed by applying the service brake.

Catastrophic damage to the drive train components due to excessive speed may result from driving the vehicle above specified speed. Damage caused by excessive speed may cause a loss of vehicle control and is costly. This is considered abuse and will not be covered under warranty.

Use extra caution when towing the vehicle.

If the vehicle is to be used in a commercial environment, signs should be used to warn of situations that could result in an unsafe coasting condition.

Keep this manual as part of the permanent service record in case the vehicle should be resold.

Safety

This Yukon Trail electric vehicle is intended for **off-road use only**. The owner should check local and other applicable laws and regulations before operating.

SEVERE INJURY OR DEATH can result if you do not follow these instructions:

Read this entire manual and all labels carefully and follow the operating procedures described.

Only operate a Yukon Trail electric vehicle if you have had proper training or instruction.

Follow these age recommendations: No one under 16 years of age should operate a Yukon Trail electric vehicle or be left without adult supervision.

Be wary of passengers or pedestrians.

Do not operate a Yukon Trail electric vehicle on a highway.

Do not consume alcohol or drugs before or while operating this machine.

Never operate at speeds too fast for your skills or the outdoor conditions. Always operate at a speed that is suitable for the terrain, visibility and operating conditions, and your experience.

Never attempt wheelies, jumps, or other stunts.

Inspect your vehicle every time it is used to make sure it is in safe operating condition. Follow the inspection and maintenance procedures and schedules described in this manual.

DO NOT RETURN STORE. For questions regarding assembly and use, call Customer Service: 877-441-6999.



Safety

Always keep both hands on the wheel during operation. Always drive at slower speeds and be cautious when operating on unfamiliar terrain. Be alert to changing terrain conditions at all times when operating a Yukon Trail electric vehicle. Do not operate your vehicle on excessively rough, slippery or loose terrain until you have learned and practiced the skills necessary to control the vehicle on such terrain. Be especially cautious of these kinds of terrain. Always follow proper procedures for turning as described in this manual. Practice turning at low speeds before attempting to turn at faster speeds. Do not turn at excessive speeds. Do not operate the vehicle on hills too steep for the vehicle or for your ability. Practice on smaller hills before attempting larger ones. Always follow safety procedures for climbing hills. Check the terrain carefully before you start up any hill. Never climb hills with excessively slippery or loose surfaces. Shift your weight forward. Never open the throttle suddenly or make sudden gear changes. Never go over the top of a hill at high speed. Always follow safety procedures for going down hills and for braking on hills. Check the terrain carefully before you start down any hill. Shift your weight backward. Never go down a hill at high speeds. Avoid going down a hill at an angle that could cause the vehicle to lean sharply to one side. Go straight down the hill where possible. Always follow proper procedures for crossing the side of a hill as described in this manual. Avoid hills with excessively slippery or loose surfaces. Shift your weight to the uphill side of the vehicle. Never attempt to turn the vehicle around on any hill until you have mastered the turning technique on level ground. Avoid crossing the side of a steep hill if possible. Use proper procedures if you stall or roll backwards when climbing a hill. To avoid stalling, use proper gear and maintain a steady speed when climbing a hill. If you stall or roll backwards, follow the special procedure for braking. Dismount on the uphill side or to a side if pointed straight uphill. Turn the vehicle around and remount. Always check for obstacles before operating in a new area. Never attempt to operate over large obstacles, such as large rocks or fallen trees. Be careful when skidding or sliding. Learn to safely control skidding or sliding by practicing at low speeds and on level, smooth terrain. On extremely slippery surfaces, such as ice, go slowly and be very cautious in order to reduce the chance of skidding or sliding out of control. Never operate a Yukon Trail electric vehicle in fast flowing water or excessively deep waters. Contact with water may affect the batteries. Remember that wet brakes may have reduced stopping ability. Test your brakes after leaving water. If necessary, apply the brake several times to let friction dry out the linings. Always use the size and type tires specified in this manual. Always maintain proper tire pressure as described in this manual. Never modify a Yukon Trail electric vehicle through improper installation or use of accessories. Never exceed the stated load capacity for a vehicle. Cargo should be properly distributed and securely attached. Reduce speed and follow sound procedures for carrying cargo or pulling a trailer. Allow greater distance for braking.



Control Functions

Main Switch

Functions of the respective switch positions are as follows:

ON:

Engine can be started only at this position and the headlight and taillight come on when the light switch is on.

OFF:

All electrical circuits are switched off. The key can be removed in this position.

Entering the Vehicle

All passengers must be seated with seat belt properly fastened at all times while the Yukon Trail electric vehicle is in use.

Turning the Vehicle On

Hold brake, switch on key switch and select the desired direction (Forward or Reverse).

Driving the Vehicle

Turn key to the "On" position select the desired selection. Apply foot brake, release park brake. Release foot brake, and accelerate smoothly. Always be aware of surrounding terrain and use caution. Judge speed accordingly. Be cautious when encountering loose or wet terrain. Do not attempt steep grades.

Stopping the Vehicle

Slow down by pushing down the foot brake pedal. To stop, release accelerator pedal and apply foot brake pedal. To engage Park Brake, depress Park Brake until locked.

Turning the Vehicle Off

After applying the Park Brake, switch the key to the OFF position; switch the direction selector to Neutral (N).

Exiting the Vehicle

Once the vehicle has come to a complete stop, the Park Brake is applied, the key switch is turned to the OFF position, and the direction selector is switched to Neutral, all passengers can carefully exit the vehicle. Never attempt to exit the vehicle while it is still moving. This could lead to severe injury.

Storing the Vehicle

Store the Yukon Trail electric vehicle with Park Brake applied, key switch in the OFF position, and the switch selector in the Neutral (N) position.



Riding the Vehicle

Ride With Care and Good Judgment

Get Training if You Are Inexperienced

This Yukon Trail electric vehicle should only be used by experienced operators with valid motor license. This vehicle requires special skills obtained through practice. Take your time to fully learn techniques before attempting more difficult maneuvers.

You should familiarize yourself with the operation of the vehicle to achieve the skill necessary to enjoy riding safely. Be sure you have read this entire guide and understand the operation of the controls before you begin to ride. Pay particular attention to the safety information. Please also read all caution and warning labels on your Yukon Trail electric vehicle.

Beginners should get training from a certified instructor. Become familiar with this vehicle at slow speeds first, even if you are an experienced operator. Do not attempt to operate at maximum performance until you are totally familiar with the vehicle's handling and performance characteristics.

!WARNING!

Proper Instruction

Potential Hazard operating this vehicle without proper instruction

What Can Happen

The risk of an accident greatly increases if the operator does not know how to operate the vehicle properly in different situations and on different types of terrain.

How to Avoid the Hazard

Beginning and inexperienced operators should complete a certified training course for the vehicle.

Riding your vehicle requires skills acquired through practice over a period of time. Take the time to learn the basic techniques well before attempting more difficult maneuvers.



Riding the Vehicle

! WARNING !

Age Recommendation

Not recommended for children under 16 years of age.

Potential Hazard Failure to follow the age recommendations for this vehicle

A child that is not the required age to operate the vehicle may lead to severe injury or death.

To avoid this hazard a child under the 16 should never operate a Yukon Trail electric vehicle.

! WARNING !

During Operation

Always keep your feet inside the vehicle during operation. Otherwise, your feet may come in contact with debris.

To avoid potential hazard never remove hands from steering wheel or feet from inside the vehicle during operation

What Can Happen Removing even one hand or foot can reduce your ability to control the vehicle or could cause you to lose your balance and fall out of the vehicle. If you remove a foot from inside the vehicle, your foot or leg may come into contact with the rear wheels or objects outside the vehicle, which could injure you or cause an accident.



Riding the Vehicle

! WARNING !

Alcohol and Drug Use

Do not operate after consuming alcohol or drugs. Operator's performance capability is reduced by the influence of alcohol or drugs.

Potential Hazard may occur when operating this vehicle after consuming alcohol or drugs

Alcohol or drugs could seriously affect your judgment. This will cause you to react more slowly, and affect your balance and perception. This may result in an accident.

! WARNING !

Pre-Operation Checks

Always perform Pre-Operation checks before riding to insure safety and proper care of the vehicle.

Potential Hazard can occur if failed to inspect the vehicle before operating



Riding the Vehicle

! WARNING !

Tires and Tire Pressure

Potential Hazard operating this vehicle with improper tires, or with improper or uneven tire pressure

What Can Happen Use of improper tires on this vehicle, or operation of this vehicle with improper or uneven tire pressure, may cause loss of control, increasing your risk of an accident.

How to Avoid the Hazard Always use the size and type of tires specified in this guide for this vehicle.

Always maintain proper tire pressure per manufacturer's recommendation on the tire's Sidewall.

! WARNING !

Speed

Do not operate at speeds too fast for your skills or the conditions.

Potential Hazard may occur when operating this vehicle at speeds too fast for your skills or the conditions

High speeds may Increases your chances of losing control of the vehicle, which can result in an accident

To avoid this Hazard always maintain a speed that is proper for the terrain, visibility and operating conditions, and your experience.



Riding the Vehicle

! WARNING !

Loading and Accessories

Use extra caution when riding the vehicle with additional loads, such as accessories or cargo. The vehicle's handling may be affected. Reduce your speed when hauling additional loads.

Overloading this vehicle or carrying or towing cargo improperly can cause a Potential Hazard

Avoid sudden movements while carrying or towing cargo. Cargo should be properly distributed and securely attached. Reduce speed when carrying cargo or pulling a trailer. Allow greater distance for braking. Always follow instructions for carrying cargo or pulling a trailer.

! WARNING !

Seat Belts

Always properly wear seat belt while in the Yukon Trail electric vehicle

Failure to properly wear seat belts can lead to potential injury or death of driver and passenger.

To avoid this Hazard each passenger must always wear their seat belt while in the Yukon Trail electric vehicle.



Riding the Vehicle

! WARNING !

Wheelies and Jumping

Avoid wheelies and jumping. You may lose control of the vehicle or overturn.

By doing wheelies and jumping Can Increases the chance of an accident, including an overturn.

! WARNING !

Modifications

Operating this vehicle with improper modifications may cause a Potential Hazard

Improper installation of accessories or modification of this vehicle may cause changes in handling which in some situations could lead to an accident.

Never modify this vehicle through improper installation or use of accessories. All parts and accessories added to this vehicle should be genuine Yukon Trail Electric Vehicle Co., Ltd. products designed for use on this vehicle and should be installed and used according to instructions. If you have questions, consult an authorized Yukon Trail dealer.



Riding the Vehicle

! WARNING !

Road Restrictions

When attempting to ride on public road or street, always follow the restrictions and guidelines for this class of vehicle in the particular area you are riding in. These rules may vary from state to state. Never ride on any highway.

Operating this vehicle on highways may be a Potential Hazard

Never operate this vehicle on any highway. In many states it is illegal to operate these vehicles on public streets, roads, and highways.

Riding the Vehicle

! WARNING !

Terrain

Know the terrain, if not ride cautiously in unfamiliar areas. Stay alert for holes, or rocks in the terrain, and other hidden hazards which may cause the vehicle to overturn.

Use extra care when operating this vehicle on unfamiliar terrain to avoid a potential hazard.

To Avoid this Hazard Go slowly and be extra careful when operating on unfamiliar terrain. Always alert to changing terrain conditions when operating the vehicle.



Riding the Vehicle

! WARNING !

Visibility

Potential Hazard when operating in areas where you may not be seen by other off-road vehicles

Make sure you are always visible so you may not collide with another vehicle. You can get injured or even death.

Watch carefully for other vehicles, do not ride in areas posted "no trespassing". Do not ride on private property without getting permission.

Riding the Vehicle

! WARNING !

Climbing Uphill

Use proper riding techniques to avoid vehicle overturns on hills. Be sure that you can maneuver your vehicle well on flat ground before attempting any incline and then riding first on gentle slopes. Try more difficult climbs only after you have developed better skills. In all cases avoid inclines with slippery or loose surfaces, or obstacles that might cause you to lose control.

Operating on excessively steep hills is a Potential Hazard

The vehicle can overturn more easily on extremely steep hills as opposed to level surfaces or small hills.

To avoid this Hazard never operate the vehicle on hills too steep for the vehicle or for your abilities. Always follow proper procedures for climbing hills as described in this guide. Always check the terrain carefully before you start up any hill. Never climb hills with excessively slippery or loose surfaces. Never go over the top of any hill at high speed or obstacle, sharp drop, or another vehicle or person could be on the other side of the hill.



Riding the Vehicle

! WARNING !

Crossing and Turning on Hills

If you are climbing a hill and you find that you may not be able to make it to the top, you should turn the vehicle around while you still have forward motion (provided you have the room to do so) and then proceed downhill.

Improperly crossing hills or turning on hills can cause a Potential Hazard.

Improperly crossing hills or turning on hills could cause loss of control or cause the vehicle to overturn.

Never attempt to turn the vehicle around on any hill until you have mastered the turning technique on level ground. Be very careful when turning on any hill. Avoid crossing the side of a steep hill if possible.

! WARNING !

Dismount

Stalling, rolling backwards, or improperly dismounting while climbing a hill can be a potential hazard

This could result in vehicle overturning.

To avoid this hazard use proper gear and maintain steady speed when climbing a hill, if you lose your forward momentum, apply the brakes. Lock the Park Brake, after you are stopped. If you the vehicle begins to roll backwards keep vehicle forward, and apply the brake.



Riding the Vehicle

! WARNING !

Riding Downhill

When riding your vehicle downhill, shift your weight as far to the rear and uphill side of the vehicle as possible. Move back on the seat and sit with your arms straight. Improper braking may cause loss of traction. Use caution while descending a hill with loose or slippery surfaces. Braking ability and traction may be adversely affected by these surfaces.

Going downhill improperly could cause a loss of control or cause the vehicle to overturn

To avoid this hazard always follow proper procedures for going down hills. Always check the terrain carefully before you start down any hill. Shift your weight backward. Never go down a hill at high speed. Avoid going down a hill at an angle that would cause the vehicle to lean sharply to one side.

! WARNING !

Crossing a Slope

Traversing a sloping surface on your vehicle requires you to properly position your weight to maintain proper balance. Be sure that you have the basic riding skills on that ground before attempting to cross a sloping surface. Avoid slopes with slippery surfaces or rough terrain that may upset your balance.

As you travel across a slope, lean your body in the uphill direction. It may be necessary to correct the steering when riding on loose surfaces by pointing the front wheels slightly uphill. When riding on slopes, be sure not to make sharp turns either up or down hill.

If your vehicle does begin to tip over, gradually steer in the downhill direction if there are no obstacles in your path, to regain proper balance, gradually steer again in the direction you wish to travel.



Riding the Vehicle

To avoid this hazard never attempt to turn the vehicle around on any hill until you have mastered the turning technique on level ground. Be very careful when turning on any hill. Avoid crossing the side of a steep hill if possible. When crossing the side of a hill, always follow proper procedures as described in the Owner's Manual. Avoid hills with excessively slippery or loose surfaces. Shift your weight to the uphill side of the vehicle.

! WARNING !

Crossing through Shallow Water

The vehicle can be used to cross slow moving, shallow water up to a maximum of 35 cm (14 in) in depth. Before entering the water, choose your path carefully. Enter where there is no sharp drop off, and avoid rocks or other obstacles which may be slippery or upset the vehicle. Drive slowly and carefully.

Operating this vehicle through deep or fast flowing water may be a Potential Hazard

Tires may float, causing loss of traction and loss of control, which could lead to an accident.

To avoid the hazard ever operate this vehicle in fast flowing water or in excessively deep water. Remember that wet brakes may have reduced stopping ability. Test your brakes after leaving water. If necessary, apply the brakes several times to let friction dry out the brakes.

CAUTION

Test your brakes after leaving the water. Do not continue to ride your vehicle without verifying that you have regained proper braking ability.



Riding the Vehicle

After riding your vehicle in water, wash the vehicle in clean water as if it has been operated in dirty water.

! WARNING !

Riding over Rough Terrain

Riding over rough terrain should be done with caution. Look out for obstacles which could cause damage to the vehicle or could lead to upset or accident. Be sure to keep both feet inside the vehicle at all times. Avoid jumping the vehicle as loss of control and damage to the vehicle may result.

Improperly operating over obstacles may cause a Potential Hazard

Could cause loss of control or a collision, may cause the vehicle to overturn.

To Avoid the Hazard

Before operating in a new area, check for obstacles.

Never attempt to ride over large obstacles, such as large rocks or fallen trees.

When you go over obstacles, always follow proper procedures as described in this guide.

! WARNING !

Sliding and Skidding

Care should be used when riding on loose or slippery surfaces since the vehicle may slide. If unexpected and uncorrected, sliding could lead to an accident.

If the rear wheels of your vehicle began to spin let off throttle and usually can regain control (if there is room to do so on) by steering in the direction of the slide. Applying the brakes or accelerating is not recommended until you have corrected the slide.

With practice, over a period of time, skills can be developed to avoid loss of control. The terrain should be chosen carefully before attempting such maneuvers, since both stability and control are reduced.

DO NOT RETURN STORE. For questions regarding assembly and use, call Customer Service: 877-441-6999.



Riding the Vehicle

! WARNING !

Sliding and Skidding

Skidding or sliding improperly can be a Potential Hazard

You may lose control of the vehicle or you may also regain traction unexpectedly, which may cause the vehicle to overturn.

To avoid the hazard Learn to safely control skidding or sliding by practicing at low speeds and on level, smooth terrain. On extremely slippery surfaces, such as ice, go slowly and be very cautious in order to reduce the chance of skidding or sliding out of control.

Warranty Information

Limited Warranty

Yukon Trail Inc. hereby warrants that new Yukon Trail electric vehicles purchased from an authorized Yukon Trail dealer in the continental United States will be free from defects in material and workmanship for the period of time stated here in, subject to certain stated limitations. Yukon Trail Inc. is not responsible for any abuse, negligence, vandalism or acts of nature.

The Period of Warranty

Yukon Trail 4x4 electric vehicles purchased by consumers shall have a warranty period of one year from the date of purchase. This one-year limited warranty extends only to the original purchaser and may not be transferred to subsequent purchasers. Vehicles used for commercial purposes also carry a one-year warranty.

During the Period of Warranty

Any Yukon Trail dealer will, free of charge, repair or replace, at Yukon Trail's option, any part adjudged defective by Yukon Trail electric Vehicle Co.,Ltd. during the warranty period due to faulty workmanship or material from the factory. Parts used in warranty repairs will be warranted for the balance of the vehicle's warranty period. All parts replaced under warranty become property of Yukon Trail Inc.

General Exclusions

Exclusions from this warranty shall include any failures caused by:

- a. Competition or racing use.
- b. Installation of parts or accessories that are not OEM genuine Yukon Trail parts.

DO NOT RETURN STORE. For questions regarding assembly and use, call Customer Service: 877-441-6999.



Warranty Information

- c. Abnormal strain, neglect, or abuse.
- d. Lack of proper maintenance.
- e. Accident or collision damage.
- f. Modification to original vehicle.
- g. Damage due to improper transportation.

Specific Exclusions

Exclusions from this warranty shall include parts replaced due to normal wear or routine maintenance; such as upholstery, tires, light bulbs, and brake shoes.

The Customer's Responsibility

Under this warranty the customer's responsibility shall be to:

- a. Complete and return the warranty card included in this manual.
- b. Operate and maintain the vehicle as specified in the appropriate owner's manual.
- c. Give notice to an authorized Yukon Trail dealer of any and all apparent defects within ten (10) days after discovery, and make the vehicle available at that time for inspection and repairs at such dealer's place of business.

Warranty Information

Yukon All implied warranties of merchantability and fitness for a particular purpose which exceed the obligations and time limits stated in this warranty are hereby disclaimed by Yukon Trail Electric Vehicles Co., Ltd. and excluded from this warranty.

Some states do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you. Also excluded from this warranty are any incidentals or consequential damages including loss of use. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusion may not apply to you.

This warranty gives you specific legal rights, and you may also have other rights, which vary from state to state.



Warranty Information

WARRANTY REGISTRATION

RETURN THE PRODUCT REGISTRATION
WITH A COPY OF YOUR SALES RECEIPT TO :
Yukon Trail, Inc. 4124 Pacific Privado, Ontario, CA 91761

Name: _____
Address: _____
City: _____ State: _____ Zip _____
Phone: _____ E-mail: _____
Date Purchased: _____ Model#: _____
Store Where Purchased: _____
Store Address: _____
Receipt or Transaction #: _____

The registration must be returned to Yukon Trail, Inc. within 10 days of purchase. It is the only information Yukon Trail will have for notification to you of any information regarding this product.
This information is for the sole purpose of product/registration and will not be sold or used for any other purpose.

A COPY OF THE SALES RECEIPT AND UPC BAR CODE MUST BE INCLUDED WITH THIS REGISTRATION CARD.

Thank you for purchasing a Yukon Trail, Inc. Electric Vehicles. If there are parts missing or if your E-bike does not run properly, do not return your Electric Vehicles to the place of purchase. Please call Yukon Trail, Customer Service at 877-441-6999

PLEASE DO NOT RETURN PRODUCT TO RETAILER FOR WARRANTY OR REPLACEMENT PARTS.

*or register online at www.yukontrailinc.com using the warranty link

Yukon Trail, Inc.

LIMITED WARRANTY

Your Electric Vehicles is warranted to be free of manufacturing defects in Material or workmanship for a period of 1 year. During the warranty period Yukon Trail, Inc. will at its option, repair, provides replacement parts or replaces your Electric Vehicles at no charge. This warranty does not cover normal wear and tear, or damage caused by neglect, or misuse of the product.

Should you experience a problem or need to return your Electric Vehicles for repair, please call the Yukon Trail customer service department

TOLL FREE AT 877-441-6999 between the hours of 9AM and 4PM PST Monday thru Friday.

You will be instructed how to proceed. A copy of receipt is required.

You may also contact Yukon Trail, Inc. by writing.

Yukon Trail, Inc.
4124 Pacific Privado, Ontario, CA 91761
Or

www.yukontrailinc.com

Made in China

DO NOT RETURN STORE. For questions regarding assembly and use, call Customer Service: 877-441-6999.